

# WAGGOTT CAMS

No.	S T A G E	ADV TIMINGS		DURATION				LIFT						TAPPET CLEARANCE		LOBE CENTRE		REMARKS
				Advertised		@.050"		Cam		Valve		@T.D.C.		In.	Ex.	In.	Ex.	
		In.	Ex.	In.	Ex.	In.	Ex.	In.	Ex.	In.	Ex.	In.	Ex.					
207	STD	10-43	45-08	232	232	177	177	.225	.225	.338	.338	.015	.011	HYD	HYD	106	108	149-202
402	STD	23-52	65-21	255	265	182	194	.232	.256	.348	.384	.023	.020	HYD	HYD	103	111	BLUE
427	STD	29-67	65-27	276	272	199	199	.258	.258	.387	.387	.028	.025	HYD	HYD	109	110	BLACK EFI
229	1	23-56	62-21	259	263	196	196	.242	.243	.363	.365	0'.028	0'.022	HYD	HYD	106	112	BLACK STD & TORQUE
403	1	21-60	63-19	260	262	201	202	.272	.272	.408	.408	0'.032	0.028	HYD	HYD	108	111	
404	1.5	21-57	61-17	258	258	206	206	.283	.282	.424	.423	0.04	0.03	HYD	HYD	108	112	
408	2	26-63	68-24	270	270	209	209	.291	.291	.436	.436	0'.043	0'.033	HYD	HYD	107	111	
737	3	30-68	69-28	275	275	213	213	.291	.291	.436	.436	0.048	0'.042	HYD	HYD	107	111	
409	3	30-70	70-30	280	280	217	217	.291	.291	.436	.436	0.052	0'.048	HYD	HYD	107	111	
545	4	34-70	74-32	285	285	222	222	.291	.291	.436	.436	0'.055	0.05	HYD	HYD	107	111	
386	4	34-70	74-32	285	286	222	226	.311	.311	.466	.466	0.06	0.06	HYD	HYD	107	111	
387		37-68	75-35	286	290	224	228	.311	.311	.466	.466	0'.066	0'.061	HYD	HYD	107	111	
388		39-73	79-37	292	296	230	234	.311	.311	.466	.466	0.08	0.07	HYD	HYD	107	111	
389		40-74	80-38	294	298	232	236	.311	.311	.466	.466	0.08	0.07	HYD	HYD	107	111	
390		40-74	80-38	294	298	232	236	.331	.331	.492	.492	0.08	0.07	HYD	HYD	107	111	
391		41-75	81-39	296	300	234	238	.331	.331	.492	.492	0.08	0.08	HYD	HYD	107	111	
392		44-78	84-42	302	306	240	244	.331	.331	.492	.492	0.09	0.09	HYD	HYD	107	111	
393		45-79	85-43	304	308	242	246	.331	.331	.492	.492	0.1	0.09	HYD	HYD	107	111	
395		49-83	89-47	312	316	250	254	.331	.331	.492	.492	0.11	0.1	HYD	HYD	107	111	
396		50-84	90-48	314	319	252	256	.331	.331	.492	.492	0.11	0.1	HYD	HYD	107	111	
394		41-75	80-40	293	297	238	242	.351	.351	.525	.525	0.09	0.09	HYD	HYD	107	111	
218		44-80	84-40	304	304	227	227	.286	0.29	0.43	0.43	0.07	0.054	HYD	HYD	108	112	202XUI (HX)
410		38-78	78-38	295	295	226	226	.305	.305	.458	.458	0'.060	0'.055	HYD	HYD	109	111	
219		55-91	95-51	326	326	240	240	0.305	0.305	.457	0.457	0.09	0.072	HYD	HYD	108	112	202 BATHURST XUI (XJ)
656	1	16-55	67-15	252	257	195	202	.268	.260	.402	.390	.023	.020	HYD	HYD	110	112	GAS
217		30-66	60-27	275	267	200	200	.230	.230	.345	.345	.032	.028	HYD	HYD	106	108	186 XUI

**CODE: HOLDEN 6 HYD**  
 PERFORMANCE - 46G  
 STANDARD - 46S  
 BILLETT - EP35

6 HYD

ROCKER RATIO 1.5

**HOLDEN**